

NOTES:

- (1) MOLDINGS CAN BE SUPPLIED IN GRG, GRC, FRP AND FRP SANDSCAPE.
- (2) GRG IS FOR INTERIOR USE ONLY.
- (3) FASTENING METHODS SHOWN ARE TYPICAL ONLY, LOCAL CODE REQUIREMENTS AND JOB CONDITIONS MUST BE VERIFIED.
- (4) INSTALLATION HARDWARE INCLUDING BRACES, STUDS, FASTENERS, SHIMS, TAPE & JOINT COMPOUND TO BE SUPPLIED BY OTHERS.
- (5) FULL MATERIAL SPECIFICATION IS AVAILABLE ON REQUEST.
- (6) PREMOLDED CORNERS ARE AVAILABLE.


N.T.S.

Phone: (416)745-4970 Fax: (416)745-6636

www.decoform.com 1 (877) DECOFORM



Typical Installation
For GRG Moldings



SECTION A-A

NOTES:

- (1) MOLDINGS CAN BE SUPPLIED IN GRG, GRC, FRP AND FRP SANDSCAPE.
- (2) GRG IS FOR INTERIOR USE ONLY.
- (3) FASTENING METHODS SHOWN ARE TYPICAL ONLY, LOCAL CODE REQUIREMENTS AND JOB CONDITIONS MUST BE VERIFIED.
- (4) INSTALLATION HARDWARE INCLUDING BRACES, STUDS, FASTENERS, SHIMS, TAPE & JOINT COMPOUND TO BE SUPPLIED BY OTHERS.
- (5) FULL MATERIAL SPECIFICATION IS AVAILABLE ON REQUEST.
- (6) PREMOLDED CORNERS ARE AVAILABLE.


N.T.S.

Phone: (416)745-4970 Fax: (416)745-6636

www.decoform.com 1 (877) DECOFORM



Typical Installation
For GRC Moldings



- (4) INSTALLATION HARDWARE INCLUDING BRACES, STUDS, FASTENERS, SHIMS, TAPE & JOINT COMPOUND TO BE SUPPLIED BY OTHERS.
- (5) FULL MATERIAL SPECIFICATION IS AVAILABLE ON REQUEST.
- (6) PREMOLDED CORNERS ARE AVAILABLE.


N.T.S.

Phone: (416)745-4970 Fax: (416)745-6636

www.decoform.com 1 (877) DECOFORM



Typical Installation
For FRP and SANDSCAPE Moldings



- (1) SHIPPED IN STRAIGHT LENGTHS OF 8'-0" MAX. (WITH TAPE JOINTS BOTH ENDS; GRG ONLY).
- (2) END FLANGES ARE FOR PRODUCT SUPPORT AND MAY NOT BE EXACTLY AS SHOWN.
- (3) SEE PAGES 5-A TO 5-A.2 FOR TYPICAL INSTALLATION AND ATTACHMENTS.
- (4) DETAIL DIMENSIONAL DRAWINGS ARE AVAILABLE ON REQUEST.
- (5) SEE GENERAL INFORMATION PAGE i.


N.T.S.

Phone: (416)745-4970 Fax: (416)745-6636

www.decoform.com 1 (877) DECOFORM



Moldings



- (WITH TAPE JOINTS BOTH ENDS; GRG ONLY).
- (2) END FLANGES ARE FOR PRODUCT SUPPORT AND MAY NOT BE EXACTLY AS SHOWN.
- (1) SHIPPED IN STRAIGHT LENGTHS OF 8'-0" MAX. (3) SEE PAGES 5-A TO 5-A.2 FOR TYPICAL INSTALLATION AND ATTACHMENTS.
 - (4) DETAIL DIMENSIONAL DRAWINGS ARE AVAILABLE ON REQUEST.
 - (5) SEE GENERAL INFORMATION PAGE i.

N.T.S.

Phone: (416)745-4970 Fax: (416)745-6636

www.decoform.com 1 (877) DECOFORM



Moldings